

Semantic Networks and Description Logics

Description Logics – Terminology and Notation

Knowledge Representation and Reasoning

December 7, 2005

Description Logics – Terminology and Notation

Introduction

Concept and Roles

TBox and ABox

Reasoning Services

Outlook

Motivation

- ▶ Main problem with **semantic networks** and **frames**
 - ▶ The lack of **formal semantics!**
 - ▶ Disadvantage of simple **inheritance networks**
 - ▶ Concepts are atomic and do not have any **structure**
- ↪ Brachman's **structural inheritance networks** (1977)

Structural Inheritance Networks

- ▶ Concepts are *defined/described* using a small set of well-defined operators
- ▶ Distinction between *conceptual* and *object-related* knowledge
- ▶ Computation of *subconcept relation* and of *instance relation*
- ▶ *Strict inheritance* (of the entire structure of a concept)

Systems and Applications

▶ **Systems:**

- ▶ **KL-ONE**: First implementation of the ideas (1978)
- ▶ ... then **NIKL**, **KL-TWO**, **KRYPTON**, **KANDOR**, **CLASSIC**, **BACK**, **KRIS**, **YAK**, **CRACK** ...
- ▶ ... currently **FaCT**, **DLP**, **RACER** 1998

▶ **Applications:**

- ▶ First, natural language understanding systems
- ▶ ... then configuration systems,
- ▶ ... information systems,
- ▶ ... currently, it is one tool for the *semantic web*
- ▶ **DAML+OIL**, now **OWL**

Description Logics

- ▶ Previously also *KL-ONE-alike languages*, *frame-based languages*, *terminological logics*, *concept languages*
- ▶ **Description Logics (DL)** allow us
 - ▶ to describe concepts using *complex descriptions*,
 - ▶ to introduce the terminology of an application and to structure it (**TBox**),
 - ▶ to introduce objects (**ABox**) and relate them to the introduced terminology,
 - ▶ and to *reason* about the terminology and the objects.

Informal Example

Male is: the opposite of female
 A **human** is a kind of: living entity
 A **woman** is: a human and a female
 A **man** is: a human and a male
 A **mother** is: a woman with at least one child that is a human
 A **father** is: a man with at least one child that is a human
 A **parent** is: a mother or a father
 A **grandmother** is: a woman, with at least one child that is a parent
 A **mother-wod** is: a mother with only male children

Elizabeth is a woman
 Elizabeth has the child Charles
 Charles is a man
 Diana is a mother-wod
 Diana has the child William

Possible Questions:

Is a grandmother a parent?
 Is Diana a parent?
 Is William a man?
 Is Elizabeth a mother-wod?

Atomic Concepts and Roles

▶ **Concept names:**

- ▶ E.g., Grandmother, Male, ... (in the following usually *capitalized*)
- ▶ We will use **symbols** such as A, A_1, \dots
- ▶ **Semantics:** Monadic predicates $A(\cdot)$ or set-theoretically a subset of the universe $A^I \subseteq \mathcal{D}$.

▶ **Role names:**

- ▶ In our example, e.g., child. Often we will use names such as has-child or something similar (in the following usually *lowercase*).
- ▶ Role names are *disjoint* from concept names
- ▶ **Symbolically:** t, t_1, \dots
- ▶ **Semantics:** Dyadic predicates $t(\cdot, \cdot)$ or set-theoretically $t^I \subseteq \mathcal{D} \times \mathcal{D}$.

Concept and Role Description

- ▶ Out of *concept* and *role names*, complex **descriptions** can be created
- ▶ In our example, e.g. “a Human and Female.”
- ▶ **Symbolically**: C for concept descriptions and r for role descriptions
- ▶ Which particular constructs are available depends on the chosen description logic
- ▶ **Predicate logic semantics**: A concept descriptions C corresponds to a formula $C(x)$ with the free variable x . Similarly with r : It corresponds to formula $r(x, y)$ with free variables x, y .
- ▶ **Set semantics**:

$$C^I = \{d \mid C(d) \text{ “is true in” } I\}$$

$$r^I = \{(d, e) \mid r(d, e) \text{ “is true in” } I\}$$

Boolean Operators

- ▶ **Syntax:** let C and D be concept descriptions, then the following are also concept descriptions:
 - ▶ $C \sqcap D$ (**Concept conjunction**)
 - ▶ $C \sqcup D$ (**Concept disjunction**)
 - ▶ $\neg C$ (**Concept negation**)
- ▶ **Examples:**
 - ▶ Human \sqcap Female
 - ▶ Father \sqcup Mother
 - ▶ \neg Female
- ▶ **Predicate logic semantics:** $C(x) \wedge D(x)$, $C(x) \vee D(x)$, $\neg C(x)$
- ▶ **Set semantics:** $C^I \cap D^I$, $C^I \cup D^I$, $\mathcal{D} - C^I$

Role Restrictions

► Motivation:

- Often we want to describe something by *restricting* the possible “fillers” of a role, e.g. Mother-wod.
- Sometimes we want to say that there is at least a filler of a particular type, e.g. Grandmother

► Idea: Use **quantifiers** that range over the role-fillers

- $\text{Mother} \sqcap \forall \text{has-child.Man}$
- $\text{Woman} \sqcap \exists \text{has-child.Parent}$

► Predicate logic semantics:

$$(\exists r.C)(x) = \exists y : (r(x,y) \wedge C(y))$$

$$(\forall r.C)(x) = \forall y : (r(x,y) \rightarrow C(y))$$

Set semantics:

$$(\exists r.C)^I = \{d \mid \exists e : (d,e) \in r^I \wedge e \in C^I\}$$

$$(\forall r.C)^I = \{d \mid \forall e : (d,e) \in r^I \rightarrow e \in C^I\}$$

Cardinality Restriction

► Motivation:

- Often we want to describe something by *restricting the number* of possible “fillers” of a role, e.g., a Mother with at least 3 children or at most 2 children.

► Idea: We restrict the cardinality of the role filler sets:

- Mother $\sqcap (\geq 3 \text{ has-child})$
- Mother $\sqcap (\leq 2 \text{ has-child})$

► Predicate logic semantics:

$$\begin{aligned}
 (\geq n r)(x) &= \exists y_1 \dots y_n : (r(x, y_1) \wedge \dots \wedge r(x, y_n) \wedge \\
 &\quad y_1 \neq y_2 \wedge \dots \wedge y_{n-1} \neq y_n) \\
 (\leq n r)(x) &= \neg(\geq n + 1 r)(x)
 \end{aligned}$$

► Set semantics:

$$\begin{aligned}
 (\geq n r)^I &= \{d \mid |\{e \mid r^I(d, e)\}| \geq n\} \\
 (\leq n r)^I &= \mathcal{D} - (\geq n + 1 r)^I
 \end{aligned}$$

Inverse Roles

▶ **Motivation:**

- ▶ How can we describe the concept “*children of rich parents*”?

▶ **Idea:** Define the “inverse” role for a given role (the **converse relation**)

- ▶ `has-child-1`

▶ **Application:** $\exists \text{has-child}^{-1}.\text{Rich}$

▶ **Predicate logic semantics:**

$$r^{-1}(x, y) = r(y, x)$$

▶ **Set semantics:**

$$(r^{-1})^I = \{(d, e) \mid (e, d) \in r^I\}$$

Role Composition

▶ **Motivation:**

- ▶ How can we define the role `has-grandchild` given the role `has-child`?

▶ **Idea:** Compose roles (as one can compose binary relations)

- ▶ `has-child` \circ `has-child`

▶ **Predicate logic semantics:**

$$(r \circ s)(x, y) = \exists z : (r(x, z) \wedge s(z, y))$$

▶ **Set semantics:**

$$(r \circ s)^I = \{(d, e) \mid \exists f : (d, f) \in r^I \wedge (f, e) \in s^I\}$$

Role Value Maps

▶ **Motivation:**

- ▶ How do we express the concept “*women who know all the friends of their children*”

▶ **Idea:** Relate role filler sets to each other

- ▶ $\text{Woman} \sqcap (\text{has-child} \circ \text{has-friend} \sqsubseteq \text{knows})$

▶ **Predicate logic semantics:**

$$(r \sqsubseteq s)(x) = \forall y : (r(x, y) \rightarrow s(x, y))$$

- ▶ **Set semantics:** Let $r^I(d) = \{e \mid r^I(d, e)\}$.

$$(r \sqsubseteq s)^I = \{d \mid r^I(d) \subseteq s^I(d)\}$$

- ▶ **Note:** Role value maps lead to undecidability of satisfiability of concept descriptions!

Terminology Box

- ▶ In order to *introduce* new terms, we use two kinds of **terminological axioms**:

- ▶ $A \doteq C$
- ▶ $A \sqsubseteq C$

where A is a *concept name* and C is a *concept description*.

- ▶ A **terminology** or **TBox** is a finite set of such axioms with the following additional restrictions:
 - ▶ no multiple definitions of the same symbol such as $A \doteq C, A \sqsubseteq D$
 - ▶ no cyclic definitions (even not indirectly), such as $A \doteq \forall r.B, B \doteq \exists s.A$

TBoxes: Semantics

- ▶ TBoxes restrict the set of possible interpretations.
- ▶ **Predicate logic semantics:**
 - ▶ $A \doteq C$ corresponds to $\forall x : (A(x) \leftrightarrow C(x))$
 - ▶ $A \sqsubseteq C$ corresponds to $\forall x : (A(x) \rightarrow C(x))$
- ▶ **Set semantics:**
 - ▶ $A \doteq C$ corresponds to $A^I = C^I$
 - ▶ $A \sqsubseteq C$ corresponds to $A^I \subseteq C^I$
- ▶ Non-empty interpretations which satisfy all terminological axioms are called **models** of the TBox.

Assertional Box

- ▶ In order to state something about objects in the world, we use two forms of **assertions**:

- ▶ $a : C$
- ▶ $(a, b) : r$

where a and b are **individual names** (e.g., ELIZABETH, PHILIP), C is a **concept description**, and r is a **role description**.

- ▶ An **ABox** is a finite set of assertions.

ABoxes: Semantics

- ▶ **Individual names** are interpreted as elements of the universe under the **unique-name-assumption**, i.e., different names refer to different objects.
- ▶ **Assertions** express that an object is an instance of a concept or that two objects are related by a role.
- ▶ **Predicate logic semantics:**
 - ▶ $a : C$ corresponds to $C(a)$
 - ▶ $(a, b) : r$ corresponds to $r(a, b)$
- ▶ **Set semantics:**
 - ▶ $a^I \in D$
 - ▶ $a : C$ corresponds to $a^I \in C^I$
 - ▶ $(a, b) : r$ corresponds to $(a^I, b^I) \in r^I$
- ▶ **Models** of an ABox and of ABox+TBox can be defined analogously to models of a TBox.

Example TBox

$$\begin{aligned}
 \text{Male} &\doteq \neg \text{Female} \\
 \text{Human} &\sqsubseteq \text{Living_entity} \\
 \text{Woman} &\doteq \text{Human} \sqcap \text{Female} \\
 \text{Man} &\doteq \text{Human} \sqcap \text{Male} \\
 \text{Mother} &\doteq \text{Woman} \sqcap \exists \text{has-child.Human} \\
 \text{Father} &\doteq \text{Man} \sqcap \exists \text{has-child.Human} \\
 \text{Parent} &\doteq \text{Father} \sqcup \text{Mother} \\
 \text{Grandmother} &\doteq \text{Woman} \sqcap \exists \text{has-child.Parent} \\
 \text{Mother-without-daughter} &\doteq \text{Mother} \sqcap \forall \text{has-child.Male} \\
 \text{Mother-with-many-children} &\doteq \text{Mother} \sqcap (\geq 3 \text{has-child})
 \end{aligned}$$

Example ABox

```
CHARLES: Man
EDWARD: Man
ANDREW: Man
DIANA: Mother-without-daughter
(ELIZABETH, CHARLES): has-child
(ELIZABETH, EDWARD): has-child
(ELIZABETH, ANDREW): has-child
(DIANA, WILLIAM): has-child
(CHARLES, WILLIAM): has-child
DIANA: Woman
ELIZABETH: Woman
```

Some Reasoning Services

- ▶ Does a description C make sense at all, i.e., is it **satisfiable**?
- ▶ A concept description C is satisfiable iff there exists an interpretation I such that $C^I \neq \emptyset$.
- ▶ Is one concept a specialization of another one, is it **subsumed**?
- ▶ C is **subsumed by** D , in symbols $C \sqsubseteq D$ iff we have for all interpretations $C^I \subseteq D^I$.
- ▶ Is a an **instance** of a concept C ?
- ▶ a is an instance of C iff for all interpretations, we have $a^I \in C^I$.
- ▶ **Note**: These questions can be posed with or without a TBox that restricts the possible interpretations.

Outlook

- ▶ Can we **reduce** the reasoning services to perhaps just one problem?
- ▶ What could be **reasoning algorithms**?
- ▶ What about **complexity** and **decidability**?
- ▶ What has all that to do with **modal logics**?
- ▶ How can one build **efficient systems**?

Literature



Baader, F., D. Calvanese, D. L. McGuinness, D. Nardi, and P. F. Patel-Schneider, *The Description Logic Handbook: Theory, Implementation, Applications*, Cambridge University Press, Cambridge, UK, 2003.



Ronald J. Brachman and James G. Schmolze. An overview of the KL-ONE knowledge representation system. *Cognitive Science*, 9(2):171–216, April 1985.



Franz Baader, Hans-Jürgen Bürckert, Jochen Heinsohn, Bernhard Hollunder, Jürgen Müller, Bernhard Nebel, Werner Nutt, and Hans-Jürgen Profitlich. Terminological Knowledge Representation: A proposal for a terminological logic. Published in Proc. *International Workshop on Terminological Logics*, 1991, DFKI Document D-91-13.



Bernhard Nebel. *Reasoning and Revision in Hybrid Representation Systems*, volume 422 of *Lecture Notes in Artificial Intelligence*. Springer-Verlag, Berlin, Heidelberg, New York, 1990.

Summary: Concept Descriptions

Abstract	Concrete	Interpretation
A	A	A^I
$C \sqcap D$	(and $C D$)	$C^I \cap D^I$
$C \sqcup D$	(or $C D$)	$C^I \cup D^I$
$\neg C$	(not C)	$\mathcal{D} - C^I$
$\forall r.C$	(all $r C$)	$\{d \in \mathcal{D} \mid r^I(d) \subseteq C^I\}$
$\exists r$	(some r)	$\{d \in \mathcal{D} \mid r^I(d) \neq \emptyset\}$
$\geq n r$	(atleast $n r$)	$\{d \in \mathcal{D} \mid r^I(d) \geq n\}$
$\leq n r$	(atmost $n r$)	$\{d \in \mathcal{D} \mid r^I(d) \leq n\}$
$\exists r.C$	(some $r C$)	$\{d \in \mathcal{D} \mid r^I(d) \cap C^I \neq \emptyset\}$
$\geq n r.C$	(atleast $n r C$)	$\{d \in \mathcal{D} \mid r^I(d) \cap C^I \geq n\}$
$\leq n r.C$	(atmost $n r C$)	$\{d \in \mathcal{D} \mid r^I(d) \cap C^I \leq n\}$
$r \doteq s$	(eq $r s$)	$\{d \in \mathcal{D} \mid r^I(d) = s^I(d)\}$
$r \neq s$	(neq $r s$)	$\{d \in \mathcal{D} \mid r^I(d) \neq s^I(d)\}$
$r \sqsubseteq s$	(subset $r s$)	$\{d \in \mathcal{D} \mid r^I(d) \subseteq s^I(d)\}$
$g \doteq h$	(eq $g h$)	$\{d \in \mathcal{D} \mid g^I(d) = h^I(d) \neq \emptyset\}$
$g \neq h$	(neq $g h$)	$\{d \in \mathcal{D} \mid \emptyset \neq g^I(d) \neq h^I(d) \neq \emptyset\}$
$\{i_1, i_2, \dots, i_n\}$	(one of $i_1 \dots i_n$)	$\{i_1^I, i_2^I, \dots, i_n^I\}$

Summary: Role Descriptions

Abstract	Concrete	Interpretation
t	t	t^I
f	f	f^I , (<i>functional role</i>)
$r \sqcap s$	(and r s)	$r^I \cap s^I$
$r \sqcup s$	(or r s)	$r^I \cup s^I$
$\neg r$	(not r)	$\mathcal{D} \times \mathcal{D} - r^I$
r^{-1}	(inverse r)	$\{(d, d') \mid (d', d) \in r^I\}$
$r _C$	(restr r C)	$\{(d, d') \in r^I \mid d' \in C^I\}$
r^+	(trans r)	$(r^I)^+$
$r \circ s$	(compose r s)	$r^I \circ s^I$
1	self	$\{(d, d) \mid d \in \mathcal{D}\}$